



GUARDIAN

Manufacturing

Research & Development Laboratory

2750 Dillard Road, Suite 12, Eustis, FL 32726

Phone 352.483.3333 Fax 352.483.3334



An exclusive laboratory provider for

CHAIN OF CUSTODY RECORD FOR INCOMING SAMPLES

Samples MUST be shipped to the above address. Otherwise, testing will be delayed.

Submitted By		Sales Rep	
Cell Phone			
Company Name		Sample Source	
Address		Sample Date	
		Sample Time	
Office Phone	Ext.	Process Temperature	
Email		Process Flow Rate (gpm)	

Project Name					ACE No.			
#	Sample Description	Matrix	Preservative	Lab Analysis Requested				
1								
2								
3								
4								

KEY						LAB USE ONLY
Matrix		Preservative		Analysis		LTN
EFF	Effluent	A	Iced	COD	Chemical Oxygen Demand	DATE
INF	Influent	B	H ₂ SO ₄	Fe	Total Iron (non-digested)	
DW	Drinking Water	C	HCl	H ₂ S	Hydrogen Sulfide	TIME
GW	Ground Water	D	HNO ₃	Mn	Manganese	
PW	Process Water	E	NaOH	NO ₂	Nitrite	TEMP
SW	Surface Water	F	None	OD	Ozone Demand	
WW	Waste Water			ODD	Ozone Demand and Decay	Received By: Comments
Unk	Unknown			ODE	Ozone Disinfection Efficacy	
				pH	pH	
				T.Alk.	Total Alkalinity	
				TDS	Total Dissolved Solids	
				TOC	Total Organic Carbon	